

SDS Report No.: CANEC2118145801 Date: 09 Oct 2021 Page 1 of 1

SICHUAN MYICLON VACUUM MATERIALS CO., LTD PUGUANG MICROGLASS FIBER INDUSTRY PARK IN XUANHAN COUNTY, DAZHOU CITY, SICHUAN PROVINCE

SGS Job No. : 22130540 CQ

Sample Name : Vacuum Adiabatic Plate

End Uses : insulation work

Composition/Ingredient of sample

(as per client submission)

: See section 3 Composition/information on ingredients on the SDS report

Job Receiving Date : 28 Sep 2021

SDS Preparation Period : 28 Sep 2021-30 Sep 2021

Service Requested : Safety Data Sheet (SDS) for the sample with submitted composition.

Summary : As per request, the contents and formats of the SDS are prepared in

> accordance with European Commission Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and is

provided per attached.

Remark:

The SDS is prepared based on the information provided by client.

* This sample is likely to be classified as article with substances not intended to be released and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Zm guan

Approved Signatory

Luguan



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to Ecilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

AttentionTo theck the authenticity of testing impaction report & certificate, please contact us at telephone (86-755)8307 1443.

196 Keathu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663

中国·广州·经济技术开发区科学城科珠路198号

邮编: 510663

t (86-20) 82155555 t (86-20) 82155555 www.sgsgroup.com.cn sgs.china@sgs.com

Printing date 30.09.2021 Version number 1 Revision: 29.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Vacuum Adiabatic Plate

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture: insulation work
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer / Supplier: SICHUAN MYICLON VACUUM MATERIALS CO., LTD
- · Full address:

PUGUANG MICROGLASS FIBER INDUSTRY PARK IN XUANHAN COUNTY, DAZHOU CITY, SICHUAN PROVINCE

• **Phone number:** 15222088761 • **Email:** 2584335696@qq.com

- · Only Representative / other EU contact point: Not available
- · Further information obtainable from: SICHUAN MYICLON VACUUM MATERIALS CO., LTD
- · 1.4 Emergency telephone number:

GERMANY

Poison Center Berlin - Institute of Toxicology

Tel: +49 030 192 40

Qin Hu 15222088761

· 1.5 Reference Number: CANEC2118145801,22130540 CQ

· 1.6 Remark:

* This sample is likely to be classified as article with substances not intended to be released and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

· Information concerning particular hazards for human and environment:

The product has not to be labelled due to the calculation procedure of Regulation (EC) No. 1272/2008.

· Classification system:

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No. 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards:
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture of the substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

(Contd. on page 2)

Printing date 30.09.2021 Version number 1 Revision: 29.09.2021

Trade name: Vacuum Adiabatic Plate

		(Contd. of page 1	
· Composition:			
CAS: 7631-86-9 EINECS: 231-545-4	silicon dioxide; synthetic amorphous silicon dioxide (nano) substance with a Community workplace exposure limit	78-95%	
CAS: 9003-07-0	Polypropylene	2-8%	
CAS: 25038-59-9	Poly(oxy-1,2-ethanediyloxycarbonyl-1,4-phenylenecarbonyl)	1.3-4%	
CAS: 9002-88-4	Polyethylene	1.4-3%	
CAS: 26221-27-2	Acetic acid ethenyl ester, polymer with ethene and ethenol	0-2%	
CAS: 7429-90-5 EINECS: 231-072-3	Aluminum substance with a Community workplace exposure limit	0-2%	
CAS: 9009-54-5	Polyurethane foams	0.3-1%	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General description: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

No special measures required.

For the general occupational hygienic measures refer to Section 8.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 3)

Printing date 30.09.2021 Version number 1 Revision: 29.09.2021

Trade name: Vacuum Adiabatic Plate

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limi	Ingredients with limit values that require monitoring at the workplace:			
7631-86-9 silicon dioxide; synthetic amorphous silicon dioxide (nano) (78-95%)				
AGW (Germany)	Long-term value: 4 E mg/m³ DFG, 2, Y			
7429-90-5 Aluminum (0-2%)				
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust			
AGW (Germany)	Long-term value: $1.25*10**mg/m^3$ $2(II)$; *alveolengängig **einatembar; AGS, DFG			
VLEP (France)	Long-term value: 5* 10** mg/m³ *pulvérulent **métal			

· Regulatory information

AGW (Germany): TRGS 900 WEL (Great Britain): EH40/2020 VLEP (France): ED 1487 12.2019

- · **DNELs:** Not available · **PNECs:** Not available
- · Ingredients with biological limit values:

7429-90-5 Aluminum

BGW (Germany) 50 µg/g Kreatinin

Untersuchungsmaterial: Urin

Probennahmezeitpunkt: bei Langzeitexposition: am Schichtende nach mehreren

vorangegangenen Schichten Parameter: Aluminium

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls

Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.

- · Appropriate engineering controls: See Section 7 for information about design of technical facilities.
- · Personal protective equipment
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

(Contd. on page 4)

Printing date 30.09.2021 Version number 1 Revision: 29.09.2021

Trade name: Vacuum Adiabatic Plate

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Not required.
- · Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

9.1 Information on basic physical and ch	nemical properties
Appearance	¥ -£
Form:	Solid
Colour:	White
Odour:	Odourless
Odour threshold:	Not available
pH-value:	Not available
Change in condition	
Melting point/Freezing point:	Not available
Initial boiling point and boiling range:	Not available
Flash point:	Not available
Flammability (solid, gas):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Not available
Explosive properties:	Not available
Explosion limits	
Lower:	Not available
Upper:	Not available
Oxidising properties:	Not available
Vapour pressure:	Not available
Density:	Not available
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in / Miscibility with	
water:	Not available
Partition coefficient: n-octanol/water:	Not available
Viscosity	
Dynamic:	Not available
Kinematic:	Not available

Printing date 30.09.2021 Version number 1 Revision: 29.09.2021

Trade name: Vacuum Adiabatic Plate

(Contd. of page 4)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity: Data not available
- · 10.2 Chemical stability: Data not available
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

7631-86-9 silicon dioxide; synthetic amorphous silicon dioxide (nano)

Oral LD50 10,000 mg/kg (rat)

- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitization: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.
- · 12.7 Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.

(Contd. on page 6)

Printing date 30.09.2021 Version number 1 Revision: 29.09.2021

Trade name: Vacuum Adiabatic Plate

(Contd. of page 5)

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
14.1 UN-Number ADR/RID/ADN, IMDG, IATA	Not applicable
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Not applicable
14.3 Transport hazard class(es)	
ADR/RID/ADN, IMDG, IATA Class Label	Not applicable
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Not applicable
14.5 Environmental hazards Marine pollutant:	No
14.6 Special precautions for user: Hazard identification number (Kemler code):	Not applicable
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable
14.8 Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · MAK(German Maximum Workplace Concentration)

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category Not applicable
- · Qualifying quantity (tonnes) for the application of lower-tier requirements Not available
- Qualifying quantity (tonnes) for the application of upper-tier requirements Not available
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate List of REACH Regulation Annex XIV Authorisation (8/7/2021)

None of the ingredients is listed

(Contd. on page 7)

Printing date 30.09.2021 Version number 1 Revision: 29.09.2021

Trade name: Vacuum Adiabatic Plate

(Contd. of page 6)

REACH Regulation Annex XVII Restriction (25/1/2021) See Section 16 for information about restriction of use.

None of the ingredients is listed

· REACH Regulation Annex XIV Authorisation List (6/2/2020)

None of the ingredients is listed

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

End of document

EU